

GLOSSARY OF TECHNICAL TERMS

This glossary of technical terms contains explanations of certain terms used in this [REDACTED] in connection with our business or our Group. These terms and their given meanings may not correspond to standard industry definitions.

“botulinum toxin type A”	a substance derived from bacteria. Injection of botulinum toxin type A blocks muscular nerve signals, which then weakens the muscle so that it cannot contract. It is most widely used for wrinkle softening and masseter reduction
“CAGR”	compound annual growth rate
“CE”	Conformité Européenne (European Conformity), a mark affixed on products which have been assessed before being placed on the European Union market denoting that such products meet the safety, health and environmental protection requirements of the European Union
“contouring”	application of medical aesthetic procedures to attempt to improve the shape of an individual’s face or body
“doctors” or “registered medical practitioner(s)”	person(s) who is (are) qualified to practise medicine, surgery and midwifery in Hong Kong and is (are) registered as registered medical practitioner(s) of the Hong Kong Medical Council under the General Register or the Specialist Register kept in accordance with the Medical Registration Ordinance (Chapter 161 of the Laws of Hong Kong)
“FDA”	Food and Drug Administration of the United States, an agency of the U.S. department of Health and Human Services responsible for protecting and promoting public health through the regulation and supervision of food safety, medical devices, etc.
“GFA”	gross floor area
“hyaluronic acid”	a stabilised viscous glycosaminoglycan of non-animal origin, which is injected with the intention to achieve certain aesthetic effects such as filling in facial lines and creases, correction of contour defects or depressions, restoration of volume loss from aging and the plumping of lips or cheeks
“Servicing Doctors”	our three full-time doctors and one part-time doctor who participate in the provision of medical aesthetic services with practising experience in the medical aesthetic service industry ranging from eight to 10 years as at the Latest Practicable Date. For the avoidance of doubt, they do not include the new doctor who joined us in October 2016 and has been undergoing our internal training, and has not commenced to serve our clients as at the Latest Practicable Date. See “Business — Our Professional Team — Doctors” in this [REDACTED] for further details

GLOSSARY OF TECHNICAL TERMS

“IT”	information technology
“laser”	Light Amplification by Stimulated Emission of Radiation used to treat various skin problems
“radiofrequency”	a technology used in a device, with the oscillation of alternating currents at a frequency of around 3 kHz to 300 GHz, which may be used for skin rejuvenation
“sq. ft.”	square feet
“trained therapist(s)”	our therapist(s) who has/have completed our training programme